Safety Harbor Surgery Center

Pre Visit Instructions for: PATIENTS WITHOUT ANESTHESIA

- 1. Have a driver the day of procedure/ unless you are otherwise instructed.
- 2. Stop aspirin or products containing aspirin (Ecotin, Alka Seltzer, Excedrin, etc) for 5 days prior to the injection.
- 3. Stop arthritis medication (Advil, Aleve, Arthotec, Celebrex, Daypro, Ibuprofen, Mobic, Naproxen, Motrin and Voltaren) 5 days prior to injections, unless instructed differently. Do not discontinue any of your other medications.
- 4. If you are taking a bloodthinner (Ticid, Persantine, Jantoven, Coumadin, Plavix, Pradaxa, Warfarin, Effient, Xeralto) please inform your SpinePain Physician right away as this requires special preparation prior to your procedure.
- 5. Discontinue use of Fish Oil and Vitamin E for 5 days prior to your procedure.
- 6. If you have a Pacemaker or a Spinal Cord Stimulator, please inform your physician prior to scheduling your procedure. Bring a copy of your card with you.
- 7. Your activity may be restricted for 24-48 hours post injection/procedure. Avoid strenuous activity or exercise.
- 8. Please bring a list of your current medications.
- 9. If you require INR/ PT/ PTT or platelet count, this should be obtained within 24 hours of your procedure.
- 10. Any questions regarding your injection or procedure please contact the office.